Journal of Pure and Applied Algebra 78 (1992) 335–336
North-Holland

Author Index Volume 78 (1992)

(The issue number is given in front of the page numbers.)

Anderson, D.F., D.E. Dobbs, M. Fontana and M. Khalis, Catenarity of formal power series rings over a pullback (2) 109–122
Barbieri Viale, L., Zero-cycles on singular varieties: Torsion and Bloch's formula (1) 1– 13
Bican, L. and L. Fuchs, On abelian groups by which balanced extensions of a rational group split (3) 221–238
Chapman, R.J., Shrinking integer lattices II (2) 123–129
Chatzidakis, Z. and P. Pappas, On the splitting group basis problem for abelian group rings (1) 15– 26
Cockett, J.R.B., Categories with finite limits and stable binary coproducts can be subdirectly decomposed (2) 131–138
Conduché, D. and C. Rodríguez-Fernández, Non-abelian tensor and exterior products modulo q and universal q-central relative extension (2) 139–160
Dobbs, D.E., see D.F. Anderson (2) 109–122
Dräxler, P. and D. Happel, A proof of the generalized Nakayama conjecture for algebras with $J^{2l+1}=0$ and A/J^l representation finite (2) 161–164
El haouari, M., p-Formalité des espaces (1) 27– 47
Fischer, K.G. and J. Shapiro, The prime ideal structure of the Minkowski ring of polytopes (3) 239–251
Fontana, M., see D.F. Anderson (2) 109–122
Freyd, P. and D.N. Yetter, Coherence theorems via knot theory (1) 49– 76
Fuchs, L., see L. Bican (3) 221–238
Gupta, N. and Yu. Kuz'min, On varietal quotients defined by ideals generated by Fox derivatives (2) 165–172
Guzmán, F., The variety of Boolean semirings (3) 253–270
Happel, D., see P. Dräxler (2) 161–164
Işcan, H., On class numbers of algebraic function fields defined by $y^2=x^n+a$ over GF(p) (3) 271–273
Khalis, M., see D.F. Anderson (2) 109–122
Koubek, V., J. Sichler and V. Trnková, Algebraic functor slices (3) 275–290
Kuz'min, Yu., see N. Gupta (2) 165–172
Niblo, G.A., Separability properties of free groups and surface groups (1) 77– 84
Pappas, P., see Z. Chatzidakis (1) 15– 26
Prassidis, S., Groups with infinite virtual cohomological dimension which act freely on $\mathbb{R}^m \times S^{n-1}$ (1) 85–100
Ratliff Jr, L.J., Principal ideal properties of R-sequences and asymptotic sequences (2) 173–182
Rodríguez-Fernández, C., see D. Conduché (2) 139–160
Shalev, A., The derived length of Lie soluble group rings I (3) 291–300
Shapiro, J., see K.G. Fischer (3) 239–251
Sichler, J., see V. Koubek (3) 275–290
Sun, S.-H., Rings in which every prime ideal is contained in a unique maximal right ideal (2) 183–194
Sun, S.-H., On separation lemmas (3) 301–310
Sun, S.-H., On the least multiplicative nucleus of a ring (3) 311–318

Elsevier Science Publishers B.V.

Tasić, V., On unit groups of Lie centre-by-metabelian algebras (2) 195–201
Trnková, V., see V. Koubek (3) 275–290
Valenti, A., On the automorphism group of the integral group ring of $S_4 \mathrm{wr} S_n$ (2) 203–211
Wang, Y., A class of Frattini-like subgroups of a finite group (1) 101–108
Xia, Y., The p-torsion of the Farrell–Tate cohomology of the mapping class group Γ_{p-1} (3) 319–334
Yetter, D.N., see P. Freyd (1) 49– 76
Yu, J., Face polynomials and inversion formula (2) 213–219